

Ficha técnica del producto

Especificaciones



Licencia, EcoStruxure Operator Terminal Expert, básica, tiempo de construcción 3.x, única, 1 estación, perpetua, digital

HMIEELCZLSPAZZ

! Hasta agotar existencias

! Descatalogado el: 30 jun 2026

! Fuera de servicio próximamente el: 31 dic 2028

Principal

gama de producto	EcoStruxure Operator Terminal Expert
tipo de producto o componente	Licencia
formato	Digital
tipo de software	Basic
tipo de licencia	Node locked license
variante	Buildtime
versión de software	V3.5 SP1
Operating system requirement	Windows 10 64 bit
requerimientos del sistema	8 GB RAM 30 GB hard-drive space
idioma de usuario	Inglés Italiano Chino Español Francés Alemán Portugués Coreano

Opcionales

Tipo de licencia	Perpetual
------------------	-----------

Precio no incluye IVA.
Precio sugerido de venta al público y sujeto a cambio sin previo aviso.
Podrán aplicar Políticas de Descuento de Schneider Electric y/o Distribuidor.

Descargo de responsabilidad: Esta documentación no ha sido diseñada como reemplazo, ni se debe utilizar para determinar la idoneidad o la confiabilidad de estos productos para aplicaciones específicas de usuarios

protocolo de puerto de comunicaciones	Couzet Automation millenium 3 FBD Emerson Industrial Automation Modbus SIO master Control Techniques Modbus SIO master Emerson Process Management ROC Plus Ethernet Emerson Process Management ROC SIO HTTP IPsec Mitsubishi A series Ethernet Mitsubishi FX series CPU direct Mitsubishi FX series Ethernet Mitsubishi iQ-R/F series Ethernet SLMP client Mitsubishi Q series CPU direct Mitsubishi Q series QnU CPU Ethernet Mitsubishi Q/QnA series serial Modbus Organization Modbus SIO ASCII master Modbus Organization Modbus SIO master Modbus Organization Modbus SIO slave Modbus Organization Modbus TCP master Modbus Organization Modbus TCP slave Omron CS/CJ/CP series host link Omron CS/CJ/CP/NX series Ethernet Omron CS/CJ/NJ/NX series Ethernet/IP Rockwell Automation Ethernet/IP Rockwell Automation DH485 Schneider Electric Modbus SIO master Schneider Electric Modbus TCP master Schneider Electric Modbus TCP master via USB Schneider Electric Machine expert network Schneider Electric PacDrive Schneider Electric Uni-Telway Schneider Electric Zelio Logic Siemens Simatic S7 Ethernet Siemens Simatic S7 MPI direct Siemens TIA portal Ethernet websocket Rockwell Automation DF1
versión de software anterior	V3.5
Función del software	Basic screen design and function Simulation Alarms and events Blocky script Convertors Dockable windows interface environment Export with CSV and tab delimiter Import with CSV and tab format Data and operation logging Multi language development Multi language tables Object binding and properties Target binding and properties Project transfer (Ethernet, filesystem, USB cable) Recipes Screens (contents and folders) Security (levels, project, users) Project and application settings System keypad Text script Color themes Variable (arrays, binding, properties, structures) Online and integrated help system
compatibilidad de gama	Harmony STM6 Harmony STO Harmony STO & STU
Opción de alojamiento	On-premise
Tamaño de la licencia	Single (1 station)
Processor requirement	Intel core i3 8th generation Intel core i5 8th generation
display resolution ((**))	1280 x 720 pixels HD

Garantía contractual

